



## NTN Bearing Brazil Bearings Ltda.

2.438 Inch | 61.925 Millimeter x 2.752 Inch |  
69.901 Millimeter x 3 Inch | 76.2 Millimeter SKF  
P2BM 207-TF Pillow Block Bearings



P2BM 207-TF Bearing 2D drawings and 3D CAD models

Bearing No. P2BM 207-TF

Category	Pillow Block Bearings
Inventory	8.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	7.03
EAN	7316577346445
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	YAR 214-207-2F
Seals	Single Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Flinger Seal
Long Description	2 Bolt Pillow Block; 2-7/16" Bore; 3" Base to Center Height; Set Screw Mount; Ball Bearing; Relubricatable; Cast Iron; Single Lip Contact; Non-expansion



## NTN Bearing Brazil Bearings Ltda.

Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	15.54525
B	3 Inch   76.2 Millimeter
Nominal Bolt Center to Center	8.3 Inch   210.8 Millimeter
Actual Bolt Center to Center	0 Inch   0 Millimeter
Bolt Spacing Maximum	8.719 Inch   221.463 Millimeter
Bolt Spacing Minimum	7.844 Inch   199.238 Millimeter
d	2.438 Inch   61.925 Millimeter
D	2.752 Inch   69.901 Millimeter
mounting:	Two-Bolt Base
finish/coating:	Uncoated
bore diameter:	2.4375 in
overall width:	44 mm
bore type:	Round
radial dynamic load capacity:	14040 lbf
base to bore centerline:	3.0000 in
radial static load capacity:	9900 lbf
duty type:	Medium Duty
base width:	65 mm
housing material:	Cast Iron
bolt center-to-center length:	203.2 mm
locking device:	Set Screw



## NTN Bearing Brazil Bearings Ltda.

maximum rpm:	2800 RPM
seal type:	Multi-Purpose
lubrication type:	Lubrication Fitting
expansion type:	Non-Expansion Bearing (Fixed)
series:	SYM
overall length:	260 mm
replacement bearing:	YAR 214-207-2F
overall height:	153.5 mm
standards met:	ISO